

SAIERMIN

Generic name: Thiamine Hydrochloride

Brand name: SAIERMIN

Composition:

Thiamine Hydrochloride..... 250mg

Indications:

- For the prevention and treatment of vitamin B1 deficiency, such as beriberi, neuritis, indigestion, myasthenia gravis and so on.

Dosage:

- Adults, oral: 1 tablet once a day.

Contraindications:

- Not clear

Warning:

- Seek medical attention immediately in case of overdose or serious adverse reactions. When the character of this product has changed, it is prohibited. Children must use it under adult supervision.

Adverse Effects:

- The recommended dose of vitamin B1 is almost non-toxic, and excessive use can cause headache, fatigue, irritability, loss of appetite, diarrhea, and edema.

Dosage form: White tablets.

Expiry date: 24 months from the date of manufacture.

Packaging: 10 tablets/blister, 10 blisters/box.

Storage:

- Protected from light, sealed, and stored at 20°C- 25°C.
- Keep out of reach of children.

Manufactured by:

Laos Alliance Pharmaceutical Group Factory

Saysettha Development Zone, Vientiane Capital, Lao PDR

Tel: +856-21-737 051

www.alliancepharmagroup.com

ເອກະສານກຳກັບ SAIERMIN

ຊື່ທົ່ວໄປ: Thiamine Hydrochloride

ຊື່ການຄ້າ: SAIERMIN

ສ່ວນປະກອບ :

Thiamine Hydrochloride..... 250mg

ຂໍ້ບົງໃຊ້:

- ໃຊ້ສຳລັບປ້ອງກັນ ແລະ ປົ້ວອາການຂາດ vitamin B1 ເປັນຕົ້ນແມ່ນ ອາການມືນຊາ (beriberi), ປາຍປະສາດອັກເສບ (neuritis), ອາຫານບໍ່ຍ່ອຍ (indigestion), ກ້າມເນື້ອອ່ອນແຮງ (myasthenia gravis).

ວິທີໃຊ້:

- ສຳລັບຜູ້ໃຫຍ່ ໃຊ້ຮັບປະທານ ໃນປະລິມານ 1 ເມັດ ຕໍ່ວັນ.

ຂໍ້ຫ້າມໃຊ້:

- ປະຈຸບັນຍັງບໍ່ທັນມີຂໍ້ມູນ.

ຄຳເຕືອນ:

- ການໃຊ້ໃນປະລິມານຫລາຍເກີນຄວາມຈຳເປັນ ສາມາດພາໃຫ້ເກີດຜົນຂ້າງຄຽງຮ້າຍແຮງໄດ້, ຫາກພົບເຫັນມີການປ່ຽນແປງຄຸນລັກສະນະຕ່າງໆຂອງເມັດຢາ ບໍ່ຄວນນຳໃຊ້, ການນຳໃຊ້ຢາໃນເດັກນ້ອຍ ຄວນມີຜູ້ໃຫຍ່ເຝົ້າລະວັງຕິດຕາມຢ່າງໃກ້ຊິດ.

ຜົນຂ້າງຄຽງ:

- ການໃຊ້ໃນປະລິມານທີ່ແນະນຳ ບໍ່ສາມາດພາໃຫ້ເກີດຜົນຂ້າງຄຽງໄດ້, ການໃຊ້ຢາໃນປະລິມານສູງເກີນຄວາມຈຳເປັນ ມັກພາໃຫ້ເກີດ ອາການ ເຈັບຫົວ, ອິດເມືອຍ, ຫຸດຫງິດງ່າຍ, ເບືອອາຫານ, ຖອກທ້ອງ, ບວມຕາມຮ່າງກາຍ.

ຮູບແບບຂອງຢາ: ເປັນຢາເມັດສີຂາວ.

ວັນຫມົດອາຍຸ: 24 ເດືອນ ນັບຈາກວັນທີ່ຜະລິດ.

ຂະໜາດບັນຈຸ: ບັນຈຸໃນກັບ, 1 ກັບມີ 10 ແຜງ, 1 ແຜງ 10 ເມັດ.

ການເກັບຮັກສາ:

- ເກັບຮັກສາຢາໃນກັບກ່ອງບັນຈຸເດີມປິດແຈບ, ບໍ່ໃຫ້ຖືກແສງແດດເກັບໄວ້ໃນຫ້ອງທີ່ອຸນຫະພູມ 20°C-25°C.
- ເກັບຮັກສາຢາ ໃຫ້ຫ່າງຈາກມືເດັກ.

ຜະລິດໂດຍ:

ໂຮງງານຜະລິດຢາ ລາວພັນທະມິດ ຟາກມາ ກຣຸບ ຈຳກັດ

ສະຖານທີ່: ຕັ້ງຢູ່ເຂດ ພັດທະນາກວມລວມ ໄຊເສດຖາ, ນະຄອນຫຼວງວຽງຈັນ, ສປປ ລາວ.

ໂທລະສັບ: +856-21-737 051

www.alliancepharmagroup.com