

ເອກະສານກຳກັບຜະລິດຕະພັນເສີມສຸຂະພາບ

ຊື່ຜະລິດຕະພັນ: ວິມພລາສ-ບີ (VIMPLUS-B)

ສ່ວນປະກອບ:

- ນິອາຊິນາມິດ (Niacinamide) 10mg
- ວິຕາມິນ ບີ 1 (Vitamin B1) 3mg
- ວິຕາມິນ ບີ 2 (Vitamin B2) 1.5mg
- ດີ-ແຄລຊຽມພານໂທເທເນດ (D-Calcium Pantothenate) 1mg
- ວິຕາມິນ ບີ 6 (Vitamin B6) 0.2mg
- ວິຕາມິນ ບີ 12 (Vitamin B12) 5µg

ຮູບແບບຜະລິດຕະພັນ: ເມັດສີສົມ.

ຂະໜາດບັນຈຸ: ບັນຈຸໃນກ່ອງ, 1 ກ່ອງ 60 ເມັດ.

ຂໍ້ບົງໃຊ້ :

- ເສີມສ້າງວິຕາມິນບີ (Vitamin B).

ວິທີໃຊ້ :

- ຜູ້ໃຫຍ່: ນຳໃຊ້ຮັບປະທານ 1 ຫາ 3 ເມັດຕໍ່ຄັ້ງ, ວັນລະ 3 ຄັ້ງ.
- ເດັກນ້ອຍ: ນຳໃຊ້ຮັບປະທານ 1 ຫາ 2 ເມັດຕໍ່ຄັ້ງ, ວັນລະ 3 ຄັ້ງ.

ຄຳເຕືອນ:

- ສຳລັບການເສີມສ້າງປະຈຳວັນ ຄວນນຳໃຊ້ໃນປະລິມານໜ້ອຍທີ່ສຸດ; ສຳລັບການຮັກສາຄວນປຶກສາແພດໝໍ.
- ຫ້າມນຳໃຊ້ກັບ ຜູ້ທີ່ມີອາການແຜ່ຕຜະລິດຕະພັນນີ້, ຜູ້ທີ່ຮ່າງກາຍແຜ່ຕຢາມີຄວນໃຊ້ຢ່າງລະມັດລະວັງ.
- ຖ້າຜະລິດຕະພັນເສີມສຸຂະພາບມີການປ່ຽນແປງຄຸນລັກສະນະແມ່ນຫ້າມນຳໃຊ້ເດັດຂາດ.
- ການນຳໃຊ້ໃນເດັກນ້ອຍຕ້ອງມີຜູ້ປຶກສາຄວາມຕາມອາການຢູ່ນຳເໝາະ.
- ຖ້າກຳລັງນຳໃຊ້ຜະລິດຕະພັນເສີມສຸຂະພາບຊະນິດອື່ນຢູ່ຄວນປຶກສາທ່ານໝໍຫຼືແພດກ່ອນນຳໃຊ້.

ຜົນຂ້າງຄຽງ:

- ການນຳໃຊ້ປະລິມານຫຼາຍເກີນໄປອາດຈະເຮັດໃຫ້ເກີດການລົບກວນປະສາດແບບອ່ອນໆ, ອາການປວດຫົວ, ເມື່ອຍລ້າ, ບັນຫາການຍ່ອຍອາຫານ ແລະ ມີການປ່ຽນແປງຂອງລະດັບໂພແທດຊຽມ ຫຼື ອາຊິດຢູຣິກ.

ການເກັບຮັກສາ:

- ເກັບຮັກສາໄວ້ໃນສະຖານທີ່ເຢັນ, ເກັບໄວ້ໃນບ່ອນແຫ້ງ ແລະ ໄວ້ບ່ອນຮົ່ມບໍ່ໃຫ້ຖືກແສງແດດ.
- ເກັບຮັກສາໃຫ້ຫ່າງຈາກມືເດັກ.

ວັນຫມົດອາຍຸ: 24 ເດືອນ ນັບຕັ້ງແຕ່ວັນທີ່ຜະລິດ.

ໝາຍເຫດ: ຜະລິດຕະພັນດັ່ງກ່າວ ບໍ່ມີສັບພະຄຸນໃນການບຶງມະຕິ, ປິ່ນປົວ ຫຼື ປ້ອງກັນພະຍາດໄດ້.

ຜະລິດໂດຍ:

ໂຮງງານຜະລິດຢາ ລາວພັນທະມິດ ຟາກມາ ກຮູບ ຈຳກັດ

ສະຖານທີ່: ຕັ້ງຢູ່ເຂດ ພັດທະນາກວມລວມ ໄຊເສດຖາ, ນະຄອນຫຼວງວຽງຈັນ, ສປປ ລາວ

ໂທລະສັບ: +856-21-737 051

www.alliancepharmagroup.com

ຈຳໜ່າຍໂດຍ:

ໂຮງງານຜະລິດຢາ ລາວພັນທະມິດ ຟາກມາ ກຣຸບ ຈຳກັດ

ສະຖານທີ່: ຕັ້ງຢູ່ເຂດ ພັດທະນາກວມລວມ ໄຊເສດຖາ, ນະຄອນຫຼວງວຽງຈັນ, ສປປ ລາວ

ໂທລະສັບ: +856-21-737 051

www.alliancepharmagroup.com

VIMPLUS-B

Brand Name: VIMPLUS-B

Composition:

- Niacinamide.....10mg
- Vitamin B1.....3mg
- Vitamin B2.....1.5mg
- D-Calcium Pantothenate.....1mg
- Vitamin B6.....0.2mg
- Vitamin B12.....5µg

Dosage form: Orange tablets.

Packaging: 60 tablets per bottle.

Indications:

- Supplementation of B vitamins.

Dosage:

- Adults: take 1 to 3 tablets at a time, 3 times a day.
- Children: take 1 to 2 tablets at a time, 3 times a day.

Precautions:

- For daily supplementation and prevention, use the lowest amount; for treatment, consult a physician.
- Individuals allergic to this product should not use it, and those with sensitive constitutions should use it with caution.
- Do not use this product if its properties have changed.
- Children should use this product only under adult supervision.
- If you are taking other supplements, please consult a physician or pharmacist before using this product.

Adverse Effects:

- Excessive use may cause mild nerve discomfort, headaches, fatigue, digestive issues, and changes in potassium or uric acid levels.

Storage:

- Store in a cool, dry place, protected from light.
- Keep out of reach of children.

Expiry date: 24 months from the date of manufacture.

Note: This product is not effective in diagnosing, treating or preventing disease.

Manufacturer:

Laos Alliance Pharmaceutical Group Factory

Saysettha Development Zone, Vientiane Capital, Lao People's Democratic Republic

Tel: +856-21-737 051

www.alliancepharmagroup.com

Distributed by:

Laos Alliance Pharmaceutical Group Factory

Saysettha Development Zone, Vientiane Capital, Lao People's Democratic Republic

Tel: +856-21-737 051

www.alliancepharmagroup.com